

Country Origin: Japan

Publication No.: 63-002477

Publication Date: Jan. 9, 1988

Applicant: Sanyo Electric Co.,Ltd

What is claimed is:

1. An animal washing apparatus characterized in that a water discharge port of a pump chamber adapted to circulate washing water through a filter is installed at upper and lower sides of a washing tub wall, with an animal being washed in a washing tub filled with washing water, and with the animal being positioned at a bottom of the interior of the washing tub, wherein the animal washing apparatus may be adjusted upward or downward.

⑫ 公開実用新案公報 (U)

昭63-2477

⑪ Int. Cl.

A 01 K 13/00

識別記号

庁内整理番号

F-7519-2B

⑬ 公開 昭和63年(1988)1月9日

審査請求 未請求 (全3頁)

⑭ 考案の名称 動物の洗浄装置

⑮ 実 願 昭61-94833

⑯ 出 願 昭61(1986)5月20日

⑰ 考 案 者 原 田 哲 夫 大阪府守口市京阪本通2丁目18番地 三洋電機株式会社内  
 ⑱ 考 案 者 片 岡 耕 作 大阪府守口市京阪本通2丁目18番地 三洋電機株式会社内  
 ⑲ 考 案 者 馬 場 義 一 大阪府守口市京阪本通2丁目18番地 三洋電機株式会社内  
 ⑳ 出 願 人 三 洋 電 機 株 式 会 社 大阪府守口市京阪本通2丁目18番地  
 ㉑ 代 理 人 弁 理 士 西 野 卓 嗣 外 1 名

㉒ 実用新案登録請求の範囲

洗浄水が貯められた洗浄槽内で動物を洗浄するものに於いて、上記洗浄槽内の下部に上記動物を乗せるすのこ板を上下調節可能に設けると共に、洗浄水をフィルターを介して循環させるポンプ室の吐水口を槽壁に上下に亘って設けたことを特徴とする動物の洗浄装置。


図面の簡単な説明

第1図は本考案装置の側断面図、第2図は背面


断面図、第3図は平面図、第4図は要部の背面断面図、第5図は制御回路図である。

1……洗浄槽、3……前壁、4……後壁、5……側壁、6……底壁、7……支持台、10……第1吐水口、21……第2吐水口、15……第1回転翼、19……第2回転翼、22……乾燥風発生装置、25……送風ダクト、26……吹出口、40……ハンドドライヤー、42……シャッター板、A……動物。


第5図




第1図



第3図



第 2 図



第 4 図

